

# Multi Cartridge Filter Vessels (FH series 3, 6, 9)

## Multi Cartridge Filter Vessel Series

### Flexible Stainless Steel Filter Vessels

The Parker Filtration FH Series 3, 6 and 9 are lightweight models for the filtration of liquids. The functional concept is to offer a fully flexible assembly capable of dealing with many situations in production.

Manufactured from 316 stainless steel, these vessels meet a wide range of applications up to 10 bar g pressure, FH series 3 and 6 (3 column and 6 column) accommodate single, double, triple and quadruple length cartridges and the series 9 (9 column) will accommodate double, triple and quadruple length cartridges. For PED compliance contact Parker.

\*Fluoroelastomers are available under various registered trademarks, including Viton, (a registered trademark of DuPont) and Fluorel (a registered trademark of 3M).



### Typical Applications

- n Potable Water
- n Process Water
- n Edible Oils
- n Coatings
- n Lubricants
- n Coolants
- n Cutting Oils
- n Solvents

### Features and Benefits

- n 316L stainless steel – for greater compatibility.
- n Bottom outlet – for easier draining and pipework location.
- n Single or double open ended cartridges can be fitted.
- n Flexibility – by changing the cover and a few internal parts you can adjust the filter capacity to your needs.
- n Vee band – Quick release clamp – allows for quick cartridge change out.
- n Cover Seal: nitrile (option: viton)
- n Low level housing split – means easy cartridge change out and greater accessibility for cleaning.
- n All units have an air vent, drain plug and leg assembly.
- n Parker cartridges are available in a wide range of constructions and ratings to achieve desired particle removal, flow rate and compatibility.
- n Adjustable Stainless Steel legs.

## Process Filtration Division

**WARNING! FAILURE OR IMPROPER SELECTION OR IMPROPER USE OF THE PRODUCTS AND/OR SYSTEMS DESCRIBED HEREIN OR RELATED ITEMS CAN CAUSE DEATH, PERSONAL INJURY AND PROPERTY DAMAGE.**  
This document and other information from Parker Hannifin Corporation, its subsidiaries and authorised distributors provide product and/or system options for further investigation by users having technical expertise. It is important that you analyse all aspects of your application and review the information concerning the product or system in the current product catalogue. Due to the variety of operating conditions and applications for these products or systems, the user, through its own analysis and testing, is solely responsible for making the final selection for the products and systems and assuring that all performance, safety and warning requirements of the application are met. The products described herein, including without limitation, product features, specifications, designs, availability and pricing, are subject to change by Parker Hannifin Corporation and its subsidiaries at any time without notice.



